

SALSEA-West Greenland: 2009 Sampling



Photographs courtesy of Denis Fournier & Mark Ives



*Tim Sheehan of the US NOAA
Fisheries Service reports.*



Tim.Sheehan@noaa.gov

In 2009, the sampling programme included sampling teams from Greenland, United States, Canada, Scotland, England and Wales, and Ireland. Teams were in place throughout the fishing season which started on 1 August and continued until 31 October. In total, approximately 1,660 specimens were sampled for presence of tags, fork length, weight, scales, and tissue samples for DNA analysis in support of the baseline sampling programme. Samples were obtained from three landing sites: Sisimiut (NAFO Division 1B), Nuuk (1D), and Qaqortoq (1F). The sampled salmon were measured, scales were removed for ageing, and gutted weight recorded. Approximately 1,660 scale samples were collected and aged by Canadian collaborators and approximately 1,640 tissue samples were removed and preserved for DNA analysis with US collaborators.

On a daily basis, the samplers would attempt to locate any recently landed Atlantic salmon. When salmon were located, the sampler would request permission to sample the fish from the fishermen and if granted, each fish would be inspected for the presence of external tags and/or fin clips. The sampler would also obtain a length and weight and would collect a scale and tissue sample from as many fish as possible. The baseline sampling is non-invasive. Once the sampling is completed, the individual fish are returned to the fishermen/owner and are either displayed for sale or prepared for storage.

In 2009, a total of 412 fresh whole fish were purchased directly from individual fishermen in support of SALSEA Greenland. In addition to the Baseline sampling, outlined above, the full suite of Enhanced Sampling samples were also collected from these fish. The Enhanced Samples will be used to evaluate a wide variety of topics such as age and growth, diet, origin, lipid analysis, stable isotope analysis, parasites, diseases, sea age at maturity as well as genetic relations and SLICE resistance in sea lice. Samples collected

in 2009 are either in the auditing or initial processing/analysis phase. The 2009 sampling effort was largely successful and the data collected will provide novel insights into the health and status of the West Greenland Stock complex. These data will be valuable in furthering our understanding of marine phase salmon once they are combined with the data collected under the SALSEA North America and SALSEA-Merge programs.

